Maryland Historical Trust Determination of Eligibility Form

| Address: P | | | | | | | | | | | | |
|--|---|--|--|--|---|--|--|--|--|--|---|--------|
| | Point Patien | ce Drive nea | ar SW term | ninus of Point P | atience Dr | | Historic D | istrict: | | Yes | S | X_ No |
| City: Solon | nons | | | Zip Code | e: 20688 | 3 | County: | Calvert | | | | |
| USGS Quadra | ngle(s): | Solomons | s Island | | | | | | | | | |
| Property Own | er: NA | VAL ORD L | AB & BASI | E | | Та: | x Account ID | Number: | | 01 1 | 28205 | |
| Tax Map Parce | el Number(| s): | | 471 | | | Tax Map I | Number: | | 44 | | |
| | 0.000 miles | Evaluations blogical Site, | | chitectural Reso | ources and | | Agency: | NAVFA | CLANT | | | |
| Agency Prepa | red By: | Southeas | tern Archa | eological Rese | arch | | | | | | | |
| Preparer's Na | me: <u>T</u> | ravis Fulk | | | | | Date Prep | ared: | all - | 02/15/2 | 007 | |
| Documentatio | on Is Preser | nted In: | ARCHA | FICANCE EVAL AEOLOGICAL S ERT COUNTY, I | SITE, U. S. | NAVY REC | | | | | | |
| Preparer's Elig | gibility Rec | ommendati | on: | E | ligibility Re | ecommende | ed _ | X | Eligibil | ity Not I | Recom | nended |
| Criteria: | Α | В | С | D Conside | erations: | Α | В | С | D | E _ | _ F | G |
| *************************************** | Co | omplete if the | e property i | is a contributing | or non-co | ntributina re | source to a N | IR district/p | property: | | | |
| Name of | the District | | , p. op cy . | | | | | | | | | |
| | / Number: | | 16 million million | 7 | | Eligible: | Yes | | Lis | ted: | | Yes |
| Site Visit by M | | | Yes | No | Name: | g | | | Dat | | *************************************** | |
| Site Visit by W | iii Staii. | | 103 | | ivanio. | See Skill Sanaranan | | | | | | |
| and the second second second second | | | cation: <i>(P</i> | lease attach m | ap and ph | oto) | | | | | | |
| CT-1311 is | located nes | | | | | | | 0 20 | | di 10 190 | 612 | |
| measuring to clad with wo northwest e some type of now covere single-hung insulators, e square conditions. CT-1311 is immediate s | ten feet and bood weather elevation, who of mechaniced, that indiced, g-sash wood extends sew crete platfor related to the southwest of | d six inches be riboard. The here broken cal system we cates the rend window with reral feet abourns, a large the operation of CT13-11 is | by ten feet. building recommended from the building recommended from the building recommended from the building from th | The front-gablests on a concrete truding from the resent. There is feature of the busix lights (south of at the north conclete trical boxes armer U.S. Navaleline and Building and Electrical | ience Drive led roof is of ete slab fou he slab and s also a larguilding. CT nwest eleval orner of the s. | covered with indation. The a small holige opening of -1311 has of tion). A 4x4 building. T | a asphalt shin ne concrete s le in the north on the northwonly one entra l, with attache the interior of ation on Solo l in a 1947 ma | gles and the lab extend awest wall a vest slope of the building mon's Islan ap of the building was a single to the building ap of the building was a single to th | ne exterior s to the ex appear to i of the roof, east eleva and ceram g contains and, Maryla ase as the | walls ar terior of indicate which is tion) and ic two sm | the that s d one all, | |
| measuring to clad with wo northwest e some type of now covere single-hung insulators, e square conditions. CT-1311 is immediate shouse for the | ten feet and cood weather elevation, who feet and cood weather elevation, who feet and coordinate the coordinate to the coordinate of the | d six inches be reported window with veral feet about the operation of CT13-11 is when Sweep | by ten feet. building recommended in the properties of the formula of a feet of the properties of the formula | The front-gablests on a concre- rotruding from the resent. There is feature of the busix lights (south of at the north concellectrical boxes) armer U.S. Navaluline and Building and Electrical | ience Drive led roof is of ete slab fou he slab and s also a larguilding. CT nwest elevatorner of the s. I Mine Warring 20, whice Gear Lab. | covered with indation. The a small holige opening of -1311 has of tion). A 4x4 building. The fare Test Stock is labeled CT-1311 (B | a asphalt shin ne concrete s le in the north on the northwonly one entra l, with attache the interior of ation on Solo l in a 1947 ma uilding 69) is | gles and the lab extend awest wall a vest slope of the building mon's Islan ap of the building was a single to the building ap of the building was a single to th | ne exterior s to the ex appear to i of the roof, east eleva and ceram g contains and, Maryla ase as the | walls ar terior of indicate which is tion) and ic two sm | the that s d one all, | |
| measuring to clad with wo northwest e some type of now covere single-hung insulators, e square conditions of the conditions of the class of the clas | ten feet and cood weather elevation, who feet and cood weather elevation, who feet and coordinate the coordinate to the coordinate of the | d six inches be reported window with veral feet about the operation of CT13-11 is when Sweep | by ten feet. building recommended in the properties of the formula of a feet of the properties of the formula | The front-gablests on a concre- rotruding from the resent. There is feature of the busix lights (south of at the north concellectrical boxes) armer U.S. Navaluline and Building and Electrical | ience Drive led roof is of ete slab fou he slab and s also a larguilding. CT nwest elevatorner of the s. I Mine Warring 20, whice Gear Lab. | covered with indation. The a small holige opening of -1311 has of tion). A 4x4 building. T | a asphalt shin ne concrete s le in the north on the northwonly one entra l, with attache the interior of ation on Solo l in a 1947 ma uilding 69) is | gles and the lab extend awest wall a vest slope of the building mon's Islan ap of the building was a single to the building ap of the building was a single to th | ne exterior s to the ex appear to i of the roof, east eleva and ceram g contains and, Maryla ase as the | walls ar terior of indicate which is tion) and ic two sm | the that s d one all, | |
| measuring to clad with wo northwest e some type of now covere single-hung insulators, e square conditions. CT-1311 is immediate shouse for the | ten feet and cood weather elevation, who feet and cood weather elevation, who feet and coordinate the coordinate to the coordinate of the | d six inches be reported window with veral feet about the operation of CT13-11 is when Sweep | by ten feet. building recommended in the properties of the formula of a feet of the properties of the formula | The front-gablests on a concrete trotruding from the resent. There is feature of the busix lights (south of at the north concelectrical boxes armer U.S. Navaleline and Building and Electrical | ience Drive led roof is of ete slab fou he slab and s also a larguilding. CT nwest elevatorner of the s. I Mine Warring 20, whice Gear Lab. | covered with andation. The asmall holder opening of the comment of the covered with the cov | a asphalt shin ne concrete s le in the north on the northwonly one entra l, with attache the interior of ation on Solo l in a 1947 ma uilding 69) is | gles and the lab extend awest wall a vest slope of the building mon's Islan ap of the building was a single to the building ap of the building was a single to th | ne exterior s to the ex appear to i of the roof, east eleva and ceram g contains and, Maryla ase as the | walls ar terior of indicate which is tion) and ic two sm | the that s d one all, | G |
| measuring to clad with wo northwest e some type of now covere single-hung insulators, e square conditions of the condition of the classical conditions of the condition of the c | ten feet and bood weather elevation, who for mechanic ed, that indic grash wood extends sevente platfor related to the southwest of the Moored M HISTORICA Recommend A ments: | d six inches be reported window with veral feet about the operation of CT13-11 is Mine Sweep AL TRUST Feeded: | by ten feet. building recoff bolts pressonce pressonce pressonce pressonce the root valve, and softhe for a gas pipe Laboratory. REVIEW C D | The front-gablests on a concrete to truding from the resent. There is feature of the busix lights (south of at the north concellectrical boxes armer U.S. Navaleline and Building and Electrical Eligit | ience Drive led roof is o ete slab fou he slab and s also a larg uilding. CT hwest eleva orner of the s. I Mine War ing 20, whic Gear Lab. | covered with andation. The asmall holder opening of the comment of the covered with the cov | a asphalt shin ne concrete s le in the north on the northwonly one entra l, with attache the interior of ation on Solo l in a 1947 ma uilding 69) is | gles and the lab extend awest wall a vest slope of the building mon's Islan ap of the building was a single to the building ap of the building was a single to th | ne exterior s to the ex appear to i of the roof, east eleva and ceram g contains and, Maryla ase as the | walls ar terior of indicate which is tion) and ic two sm | the that s d one all, | G G |
| measuring to clad with wo northwest e some type of now covere single-hung insulators, e square conditions of the conditi | ten feet and bood weather elevation, who for mechanic ed, that indice estends severete platfor related to the southwest of the Moored I HISTORIC Recommend A ments: | d six inches by rboard. The here broken cal system we cates the rend window with veral feet about ms, a large the operation of CT13-11 is white Sweep CAL TRUST Finded: B Here broken can be rend window with veral feet about ms, a large the operation of CT13-11 is white Sweep CAL TRUST Finded: | by ten feet. building recoff bolts pressure as once pressure the root valve, and soft the forest agas pipe. REVIEW C D Socrete D Socrete Seet Seet Seet Seet Seet Seet Seet | The front-gablests on a concrete totruding from the resent. There is feature of the busix lights (south of at the north concelectrical boxes armer U.S. Navaleline and Buildity and Electrical Eligital | ience Drive led roof is o ete slab fou he slab and s also a larg uilding. CT hwest eleva orner of the s. I Mine War ing 20, whic Gear Lab. | covered with andation. The asmall holder opening of the comment of the covered with the cov | a asphalt shin ne concrete s le in the north on the northwonly one entra l, with attache the interior of ation on Solo l in a 1947 ma uilding 69) is | gles and the lab extend awest wall a vest slope of the building mon's Islan ap of the building was a single to the building ap of the building was a single to th | ne exterior is to the exappear to it of the roof, east eleval and ceram in g contains and, Maryla ase as the "Well and D | walls ar terior of indicate which is tion) and ic two sm | the that s d one all, | G |

Wednesday, March 19, 2008

Printed from MHT GIS/Library Database

200800443

NR-ELIGIBILITY REVIEW FORM


CT-1311

Building 69 - NAS Pax River (Solomons Annex)

e 2

the same 1947 Navy map of the station. An aerial photograph review indicates that the construction date for CT-1311 is between 1944 and 1947. The integrity of association and setting has been compromised for CT-1311 with the substantial loss of associated structures. Nearly all the structures that this building functioned to support are no longer extant. CT-1311 has also been substantially altered with the removal of much of its functioning mechanical equipment. CT-1311 is not considered eligible for listing in the NRHP due to lack of architectural distinction and compromised integrity.

| Eligibility Recommended: | Eligibility Not Recommended: | | | | | |
|---|------------------------------|--|--|--|--|--|
| Criteria: A B C D MHT Comments: | Considerations: A B C D E F | | | | | |
| Reviewer, Office of Preservation Services | Date | | | | | |
| Reviewer, National Register Program | Date | | | | | |



750

1,500

3,000

Archaeological Site



CT-1311 Building 69 - NAS Pax River (Solomons Annex) Calvert Co, MD Photographer: Travis Fulk Date: 28 Nov 2006 Location of nagative: MD SHPO Harmon's < No - 180 > 201 BNO 0956 006 N N N-3-60 46-01 GR08 2079.0/100.0 Facing S



CT-1311 Building 69-NAS Pax River (Solomons Annex) Colvert Co, MD Photographer: Travis Fulk Date: 28 Nov 2006 Location of negative: MD SHPO Harmon's < No. 19A>002 BNO. 0956 006 N N N-1-37 AS-01 GR08 2079.0/100.0 Facing N